



PARAMETRIC COFFERED TILE SYSTEM™



Turn a traditional grid into a design statement!

Andalusia's Coffered Tile combines a painted wood frame with a PET felt infill to add depth, color, and acoustic performance

PARAMETRIC COFFERED TILE SYSTEM

Andalusia's Coffered Tile system reimagines the traditional ceiling tile by combining a PET felt acoustic surface with stained wood or painted MDF edges that extend below the grid.

2'x2' modular tiles are available in multiple drop depths and finishes, bringing warmth, sound absorption, and dimension to standard T-grid ceilings.

KEY FEATURES

- Precision-crafted 3/4" wood edges
- PET acoustic felt insert
- Standard drop depths: 2", 3", 4", 5" or 6"
- PET felt available in 20+ standard colors
- Custom drop depths and finishes
- 2'x2' tiles compatible with 15/16" T-grids
- NRC Rating: 0.40 – 0.65
- Drop-in installation
- Leverage Andalusia's design services to customize your system configuration




COFFERED TILE CONSTRUCTION

All Andalusia products are designed for high quality, premium aesthetics and ease-of-install.

The Coffered Tile easily lays in to any grid system. Metal flange top ensures level grid lay-in and more durable tile construction vis-à-vis using all PET felt. An open center area results in lighter weight and strong acoustic performance.

The top surface can be easily removed to provide good serviceability.




WOOD FRAME COLOR AND FINISH OPTIONS

Andalusia's wood components are available in architectural-grade MDF or multi-ply hardwood plywood. Both options are available in Class A fire rated and can be clear coated, stained, or painted. Standard thickness is 3/4". Custom finishes and species available upon request.

Standard MDF Paint Colors




Standard Plywood Stains




ACOUSTIC LAY-IN COLOR OPTIONS

Andalusia's PET felt is Class A fire rated and comes in a variety of colors. Material is 100% polyester (PET) felt. 9mm thickness and recycled content up to 60% post-consumer. Custom colors available.



ACOUSTIC TEST DATA

Work with Andalusia's acoustic experts to evaluate the impact of the tiles in your space.



PUT ON YOUR PROJECT

CONTACT ANDALUSIA at hello@andalusia.design or your Local Rep to make the specification and order process as simple as possible!

SPECIFICATION CHECKLIST

Product: Andalusia 2'x2' Coffered Tile

Frame Material: Architectural MDF

Insert Material: Architectural 9mm PET Felt

Frame Finish (Pick One):

Insert Color:

☐ Stained Veneer

Color Code: _____

☐ Painted

Custom Color: _____

Color Code: _____

Insert Depth:

Custom Color or Stain: _____

☐ Flush to T-Grid

Frame Height (2" to 6"): _____

☐ Above Frame (1" to 5"): _____

